

12-08-03

16:13

From-

RECEIVED  
CENTRAL FAX CENTER

T-727 P.001

E-875

DEC 09 2003

OFFICIAL

## Clark & Elbing LLP

101 Federal Street  
Boston, MA 02110

Telephone 617-428-0200  
Facsimile 617-428-7045  
617-428-7046

**Date:** December 9, 2003

**To:** Examiner Alana M. Harris  
U.S. Patent and Trademark Office  
Group Art Unit 1642

**Facsimile No:** 1-703-872-9306

**From:** Kristina Bieker-Brady, Ph.D.  
Reg. No. 39,109

**Re:** U.S. Patent Application No. 09/469,606  
Our Reference: 50274/007002

**Pages:** 11, including this one

**Message:** Attachments:

Reply to Office Action – 9 pages


Request For Extension of Time – 1 page

---

NOTICE: This facsimile transmission may contain confidential or privileged information intended for the addressee only. If you are not the addressee, be aware that any disclosure, copying, distribution, or use of the information is prohibited. If you have received this facsimile transmission in error, please call us at 617-428-0200 to arrange for its return at no cost to you.

---

PATENT  
ATTORNEY DOCKET NO. 50274/007002

Certificate of Transmission by Facsimile: Date of Deposit: <u>December 9, 2003</u>	
I hereby certify under 37 C.F.R. § 1.8(a) that this correspondence is being facsimile transmitted to the United States Patent and Trademark Office, Attention: Alana M. Harris, Fax No. 1-703-872-9306.	
Guy Beardsley	
Printed name of person mailing correspondence	Signature of person mailing correspondence

RECEIVED  
CENTRAL FAX CENTER

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

DEC 09 2003

OFFICIAL

Applicant:	Vollmers et al.	Art Unit:	1642
Serial No.:	09/469,606	Examiner:	Alana M. Harris
Filed:	December 22, 1999	Customer No.:	21559
Title:	SUBSTANCE FOR OBTAINING HIGHLY EFFECTIVE TUMOR MEDICATIONS AS WELL AS A PROCESS		

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

REPLY TO OFFICE ACTION

In reply to the Office Action that was mailed in connection with the above-captioned patent application on August 26, 2003, Applicants submit the following Amendment and Remarks.

Kindly amend the specification as follows.